



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER OF PATENTS AND TRADEMARKS
Washington, D.C. 20231
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/706,968	11/06/2000	Zeren Gao	98-60C2	8864

7590 11/26/2002
Gary E parker
ZymoGenetics inc
1201 Eastlake Avenue East
Seattle, WA 98102

EXAMINER

JIANG, DONG

ART UNIT PAPER NUMBER

1646

DATE MAILED: 11/26/2002

9

Please find below and/or attached an Office communication concerning this application or proceeding.

Response to Rule 312 Communication	Application No.	Applicant(s)	
	09/706,968	GAO ET AL.	
	Examiner	Art Unit	
	Dong Jiang	1646	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --


1. ☒ The amendment filed on 17 October 2002 under 37 CFR 1.312 has been considered, and has been:

- a) ☐ entered.
- b) ☐ entered as directed to matters of form not affecting the scope of the invention.
- c) ☐ disapproved because the amendment was filed after the payment of the issue fee.
Any amendment filed after the date the issue fee is paid must be accompanied by a petition under 37 CFR 1.313(c)(1) and the required fee to withdraw the application from issue.
- d) ☐ disapproved. See explanation below.
- e) ☒ entered in part. See explanation below.

The amendment made in the specification is acknowledged, but is not entered for the following reason: Applicants amend "Fig 1 is" in the specification to "Figs. 1A-1G". This amendment cannot be made because there are no such drawings as "Figures 1A-1G" present in the instant application, and there is no formal drawings submitted along with the present amendment.

Further, applicants are required to submit formal drawings with changes indicated in the Form PTO-948, the attachment of paper No. 3.

The amendment made in the claims is acknowledged and entered.


YVONNE EYLER, PH.D
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 1600